Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Nuclear Instruments and Methods in Physics Research A 527 (2004) 661–675
NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A
www.elsevier.com/locate/nima

Author index

Abreu, C., see Ribeiro, R. . . . 527 (2004) 87
Accorsi, R., see Cusanno, F. . . . 527 (2004) 140
Adam, J., see Karamian, S.A. . . . 527 (2004) 609
Airoldi, A., see Cappellini, C. . . . 527 (2004) 46
Alemi, M., see Cappellini, C. . . . 527 (2004) 46
Alex, M., D.N. Prasad, K.R. Prasad and S.K. Kataria, Development of neutron chambers with improved electrode design . . . 527 (2004) 562
Alfassi, Z.B., see Presler, O. . . . 527 (2004) 632
Allgower, C., see Peterson, T. . . . 527 (2004) 432
Almeida, P., see Ribeiro, R. . . . 527 (2004) 87
Amati, M., see Cappellini, C. . . . 527 (2004) 46
Amerio, S., S. Amoruso, M. Antonello, P. Aprili, M. Armenante, F. Arneodo, A. Badertscher, B. Baiboussinov, M.B. Ceolin, G. Battistoni, B. Bekman, P. Benetti, E. Bernardini, M. Bischofberger, A.B. di Tigliole, R. Brunetti, R. Bruzzese, A. Bueno, E. Calligarich, M. Campanelli, F. Carbonara, C. Carpanese, D. Cavalli, F. Cavanna, P. Cennini, S. Centro, A. Cesana, C. Chen, D. Chen, D.B. Chen, Y. Chen, R. Cid, D.B. Cline, K. Cieślik, A.G. Cocco, D. Corti, Z. Dai, C. De Vecchi, A. Dąbrowska, A. Di Cicco, R. Dolfini, A. Ereditato, M. Felcini, A. Ferella, A. Ferrari, F. Ferri, G. Fiorillo, S. Galli, D.G. Gamez, Y. Ge, D. Gibin, A.G. Berzolari, I. Gil-Botella, K. Graczyk, L. Grandi, A. Guglielmi, K. He, J. Holeczek, X. Huang, C. Juszczak, D. Kiełczewska, J. Kisiel, T. Kozłowski, H. Kuna-Ciskal, M. Laffranchi, J. Łagoda, Z. Li, B. Lisowski, F. Lu, J. Ma, G. Mangano, G. Mannocchi, M. Markiewicz, A.M. de la Ossa, C. Matthey, F. Mauri, D. Mazza, A.J. Melgarejo, A. Menegolli, G. Meng, M. Messina, J.W. Mietelski, C. Montanari, S. Muraro, S. Navas-Concha, M. Nicoletto, J. Nowak, G. Nurzia, C. Osuna, S. Otwinowski, Q. Ouyang, O. Palamara, D. Pascoli, L. Periale, G.P. Mortari, A. Piazzoli, P. Picchi, F. Pietropaolo, W. Półchłopek, M. Prata, T. Rancati, A. Rappoldi, G.L. Raselli, J. Rico, E. Rondio, M. Rossella, A. Rubbia, C. Rubbia, P. Sala, R. Santorelli, D. Scannicchio, E. Segreto, Y. Seo, F. Sergiampietri, J. Sobczyk, N. Spinelli, J. Stepaniak, R. Sulej, M. Szeptycka, M. Szarska, M. Terrani, G. Trinchero, R. Velotta, S. Ventura, C. Vignoli, H. Wang, X. Wang, J. Woo, G. Xu, Z. Xu, X. Yang, A. Zalewska, J. Zalipska, C. Zhang, Q. Zhang, S. Zhen and W. Zipper, Design, construction and tests of the ICARUS T600 detector . . . 527 (2004) 329
Amoruso, S., see Amerio, S. . . . 527 (2004) 329
Amurina, L.A., see Chubenko, A.P. . . . 527 (2004) 648
Annenkov, A., A. Fedorov, M. Korzhik, P. Lecoq and O. Missevitch, First results on prototype production of new LuYAP crystals . . . 527 (2004) 50
Antonello, M., see Amerio, S. . . . 527 (2004) 329
Antonova, V.P., see Chubenko, A.P. . . . 527 (2004) 648
Aprili, P., see Amerio, S. . . . 527 (2004) 329
Archimandritis, S.C., see Loudos, G.K. . . . 527 (2004) 97
Armenante, M., see Amerio, S. . . . 527 (2004) 329
Arneodo, F., see Amerio, S. . . . 527 (2004) 329
Asai, J. and H. Hirayama, Radiation shielding from secondary gas bremsstrahlung for the first optics enclosure at the Canadian Light Source . . . 527 (2004) 264
Assié, K., V. Breton, I. Buvat, C. Comtat, S. Jan, M. Krieguer, D. Lazaro, C. Morel, M. Rey, G. Santin, L. Simon, S. Staelens, D. Strul, J.-M. Vieira and R. Van de Walle, Monte Carlo simulation in PET and SPECT instrumentation using GATE . . . 527 (2004) 180

doi:10.1016/S0168-9002(04)01328-2

Auffray, E., P. Bruyndonckx, O. Devroede, A. Fedorov, U. Heinrichs, M. Korjik, M. Krieguer, C. Kuntner, C. Lartizien, P. Lecoq, S. Leonard, Ch. Morel, J.B. Mosset, Ch. Pedrini, A. Petrosian, U. Pietrzyk, M. Rey, S. Saladino, D. Sappey-Marinier, L. Simon, M. Streun, S. Tavernier, J.M. Vieira and K. Ziemons, The ClearPET project 527 (2004) 171

Badertscher, A., see Amerio, S. 527 (2004) 329
Baiboussinov, B., see Amerio, S. 527 (2004) 329
Bakker, R., see Mishra, G. 527 (2004) 233
Balau, F., see Ribeiro, R. 527 (2004) 87
Barbier, R., Y. Déclais, C. Dujardin, N. Garnier, M. Janier, I.A. Kamenskikh, G. Largeron, J. Marteau, C. Pedrini and D.S. Marinier, Two-head small animal PET prototype with LSO/LuAP coupled to a multi-anode PMT 527 (2004) 175
Barth, J.E., see van Aken, R.H. 527 (2004) 660
Barthe, N., K. Chatti, P. Coulon, S. Maîtrejean and B. Basse-Cathalinat, Recent technologic developments on high-resolution beta imaging systems for quantitative autoradiography and double labeling applications . . . 527 (2004) 41
Basse-Cathalinat, B., see Barthe, N. 527 (2004) 41
Battistoni, G., see Amerio, S. 527 (2004) 329
Baygubekov, A.S., see Chubenko, A.P. 527 (2004) 648
Beck, D., K. Blaum, H. Brand, F. Herfurth and S. Schwarz, A new control system for ISOLTRAP 527 (2004) 567
Beisembaev, R.U., see Chubenko, A.P. 527 (2004) 648
Bekman, B., see Amerio, S. 527 (2004) 329
Belcari, N., see Motta, A. 527 (2004) 201
Bellunato, T., M. Calvi, C. Coluzza, G. Longo, C. Matteuzzi, M. Musy, P. Negri and D.L. Perego, Study of ageing effects in aerogel 527 (2004) 319
Benetti, P., see Amerio, S. 527 (2004) 329
Benlloch, J.M., see Fernández, M.M. 527 (2004) 92
Bennati, P., see Pani, R. 527 (2004) 54
Bergenwall, B., see Peterson, T. 527 (2004) 432
Bernabeu, J., N.H. Clinthorne, Y. Dewaraja, C. Lacasta, G. Llosá, M. Mikuž, S. Roe, W.L. Rogers, A. Studen, P. Weilhammer, L. Zhang and D. žontar, Development of a high efficiency and high resolution Compton probe for prostate imaging 527 (2004) 58
Bernardini, E., see Amerio, S. 527 (2004) 329
Berzolari, A.G., see Amerio, S. 527 (2004) 329
Beuf, O., see Sappey-Marinier, D. 527 (2004) 117
Bhatt, N., see Yadav, K.K. 527 (2004) 411
Bianchi, C., see Cappellini, C. 527 (2004) 46
Billotey, C., see Sappey-Marinier, D. 527 (2004) 117
Bischofberger, M., see Amerio, S. 527 (2004) 329
Bland, L.C., see Peterson, T. 527 (2004) 432
Blaum, K., see Beck, D. 527 (2004) 567
Blomgren, J., see Peterson, T. 527 (2004) 432
Bonnefoy, J.-Y., Medicine and economy 527 (2004) 1
Bontemps, L., see Itti, R. 527 (2004) 130
Bordalo, P., see Ribeiro, R. 527 (2004) 87
Borisenko, D.N., see Kolesnikov, N.N. 527 (2004) 73
Borisov, A.S., see Chubenko, A.P. 527 (2004) 648
Boukis, S., see Giokaris, N. 527 (2004) 134
Boyarintsev, A., see Giokaris, N. 527 (2004) 134
Bradshaw, M.L., see McKinley, R.L. 527 (2004) 102
Brand, H., see Beck, D. 527 (2004) 567
Bremond, A., see Giammarile, F. 527 (2004) 83
Breton, V., see Assié, K. 527 (2004) 180
Breton, V., see Lazaro, D. 527 (2004) 195
Brette, P., see Crespin, S. 527 (2004) 206
Brette, P., see De Freitas, D. 527 (2004) 113
Brunetti, R., see Amerio, S. 527 (2004) 329
Bruyndonckx, P., see Auffray, E. 527 (2004) 171

Bruzzese, R., see Amerio, S. . . . 527 (2004) 329
Bueno, A., see Amerio, S. . . . 527 (2004) 329
Bulgheroni, A., see Cappellini, C. . . . 527 (2004) 46
Bültmann, S., see Court, G.R. . . . 527 (2004) 253
Buvat, I., see Assié, K. . . . 527 (2004) 180
Buvat, I., see Lazaro, D. . . . 527 (2004) 195

Caccia, M., see Cappellini, C. . . . 527 (2004) 46
Cachin, F., see De Freitas, D. . . . 527 (2004) 113
Cachin, F., see Geissler, B. . . . 527 (2004) 216
Calligarich, E., see Amerio, S. . . . 527 (2004) 329
Calvi, M., see Bellunato, T. . . . 527 (2004) 319
Campanelli, M., see Amerio, S. . . . 527 (2004) 329
Campanini, R., see Motta, A. . . . 527 (2004) 201
Candela, A., see Gustavino, C. . . . 527 (2004) 471
Cappellini, C., A. Airoldi, M. Alemi, M. Amati, C. Bianchi, A. Bulgheroni, M. Caccia, L. Conte, W. Kucewicz, M. Prest, E. Vallazza and C. Sampietro, First results on real-time quality control and dosimetry of β emitting sources used in medical applications using Silicon strip detectors . . . 527 (2004) 46
Carbonara, F., see Amerio, S. . . . 527 (2004) 329
Carl, M., J. Reinhold, Y. Fujii, J. Haggblad, O. Hashimoto, M. Iijima, A. Matsumura, S.N. Nakamura, H. Nomura, Y. Okayasu, A. Ohtani, M. Oyamada, Y. Sato and L. Tang, Beam test of a dual radiator Cherenkov detector with aerogel and wavelength-shifting acrylic plastic . . . 527 (2004) 301
Carpanese, C., see Amerio, S. . . . 527 (2004) 329
Cavalli, D., see Amerio, S. . . . 527 (2004) 329
Cavanna, F., see Amerio, S. . . . 527 (2004) 329
Cekaite, L., E. Hovig and H.H. Hauge, Double-sided silicon strip detectors: new applications within genomics and proteomics . . . 527 (2004) 68
Cennini, P., see Amerio, S. . . . 527 (2004) 329
Centro, S., see Amerio, S. . . . 527 (2004) 329
Ceolin, M.B., see Amerio, S. . . . 527 (2004) 329
Cerdá, J., see Fernández, M.M. . . . 527 (2004) 92
Černý, J., Z. Doležal, M.P. Ivanov, E.S. Kuzmin, J. Švejda and I. Wilhelm, Study of neutron response and n–γ discrimination by charge comparison method for small liquid scintillation detector . . . 527 (2004) 512
Cesana, A., see Amerio, S. . . . 527 (2004) 329
Chaloun, P., see Karamian, S.A. . . . 527 (2004) 609
Chandra, P., see Yadav, K.K. . . . 527 (2004) 411
Chandratre, V.B., see Mishra, V. . . . 527 (2004) 308
Chatti, K., see Barthe, N. . . . 527 (2004) 41
Chen, C., see Amerio, S. . . . 527 (2004) 329
Chen, D., see Amerio, S. . . . 527 (2004) 329
Chen, D.B., see Amerio, S. . . . 527 (2004) 329
Chen, Y., see Amerio, S. . . . 527 (2004) 329
Chen, Z.Y., B.N. Wan, Y.J. Shi, L.Q. Hu, S.Y. Lin, Q.S. Hu and S.X. Lui, A compact soft X-ray PHA in the HT-7 tokamak . . . 527 (2004) 604
Cherdyntseva, K.V., see Chubenko, A.P. . . . 527 (2004) 648
Chereul, E., see Sappey-Marinier, D. . . . 527 (2004) 117
Chouhan, N., see Yadav, K.K. . . . 527 (2004) 411
Chubenko, A.P., R.A. Mukhamedshin, L.A. Amurina, V.P. Antonova, A.S. Baygubekov, R.U. Beisembaev, A.S. Borisov, P.A. Chubenko, K.V. Cherdyntseva, V.I. Drobzhev, V.F. Grishchenko, E.N. Gudkova, Z.M. Guseva, Y.A. Kanevskaya, O.N. Kryakunova, S.V. Kryukov, A.I. Kupchishin, I.S. Martyanov, V.M. Maximenko, K.K. Mukashev, R.A. Nain, N.M. Nesterova, O.A. Novolodskaya, V.V. Oskomov, V.P. Pavlyuchenko, V.V. Piscal, V.S. Puchkov, V.A. Ryabov, T.K. Sadykov, S.B. Shaulov, A.L. Shepetov, S.A. Slavatinsky, A.V. Stepanov, V.M. Sultangazin, Y.N. Vavilov, N.G. Vildanov, L.I. Vildanova, V.I. Yakovlev, N.N. Zastrozhnova, G.T. Zatsepin and V.V. Zhukov, A new complex installation *ATHLET* for the investigation of interactions in ultrarays on Tien- Shan mountain . . . 527 (2004) 648
Chubenko, P.A., see Chubenko, A.P. . . . 527 (2004) 648
Cid, R., see Amerio, S. . . . 527 (2004) 329

Cieślik, K., see Amerio, S. . . . 527 (2004) 329
Cinti, M.N., see Cusanno, F. . . . 527 (2004) 140
Cinti, M.N., see Pani, R. . . . 527 (2004) 54
Cline, D.B., see Amerio, S. . . . 527 (2004) 329
Clinthorne, N.H., see Bernabeu, J. . . . 527 (2004) 58
Cocco, A.G., see Amerio, S. . . . 527 (2004) 329
Colilli, S., see Cusanno, F. . . . 527 (2004) 140
Collins, C.B., see Karamian, S.A. . . . 527 (2004) 609
Coluzza, C., see Bellunato, T. . . . 527 (2004) 319
Comtat, C., see Assié, K. . . . 527 (2004) 180
Conte, L., see Cappellini, C. . . . 527 (2004) 46
Corti, D., see Amerio, S. . . . 527 (2004) 329
Coulon, P., see Barthe, N. . . . 527 (2004) 41
Court, G.R., M.A. Houlden, S. Bültmann, D.G. Crabb, D.B. Day, Y.A. Prok, S.I. Penttila and C.D. Keith, High precision measurement of the polarization in solid state polarized targets using NMR 527 (2004) 253
Crabb, D.G., see Court, G.R. . . . 527 (2004) 253
Crespin, S., D. De Freitas, P. Brette, A. Falvard and J. Maublant, Assessment of a simulation software for scintillation detector 527 (2004) 206
Crespin, S., see De Freitas, D. . . . 527 (2004) 113
Cusanno, F., R. Accorsi, M.N. Cinti, S. Colilli, A. Fortuna, F. Garibaldi, F. Giuliani, M. Gricia, R.C. Lanza, A. Loizzo, M. Lucentini, R. Pani, R. Pellegrini, F. Santavenere and F. Scopinaro, Molecular imaging by single-photon emission 527 (2004) 140
Cusanno, F., see Pani, R. . . . 527 (2004) 54

Dąbrowska, A., see Amerio, S. . . . 527 (2004) 329
Dai, Z., see Amerio, S. . . . 527 (2004) 329
Day, D.B., see Court, G.R. . . . 527 (2004) 253
Déclais, Y., see Barbier, R. . . . 527 (2004) 175
De Deo, M., see Gustavino, C. . . . 527 (2004) 471
De Freitas, D., S. Crespin, F. Cachin, B. Geissler, P. Brette and J. Maublant, Relevance of a multi-hole collimator for peroperative gamma detection 527 (2004) 113
De Freitas, D., see Crespin, S. . . . 527 (2004) 206
De Freitas, D., see Geissler, B. . . . 527 (2004) 216
de la Ossa, A.M., see Amerio, S. . . . 527 (2004) 329
Del Guerra, A., see Motta, A. . . . 527 (2004) 201
De Vecchi, C., see Amerio, S. . . . 527 (2004) 329
Devroede, O., see Auffray, E. . . . 527 (2004) 171
Dewaraja, Y., see Bernabeu, J. . . . 527 (2004) 58
Dhar, V.K., see Yadav, K.K. . . . 527 (2004) 411
Di Cicco, A., see Amerio, S. . . . 527 (2004) 329
Di Domenico, G., see Motta, A. . . . 527 (2004) 201
D'Incecco, M., see Gustavino, C. . . . 527 (2004) 471
di Tigliole, A.B., see Amerio, S. . . . 527 (2004) 329
Dixit, M.Y., see Mishra, V. . . . 527 (2004) 308
Doležal, Z., see černý, J. . . . 527 (2004) 512
Dolfini, R., see Amerio, S. . . . 527 (2004) 329
Dörner, R., see Welsch, C.P. . . . 527 (2004) 284
Doskow, J., see Peterson, T. . . . 527 (2004) 432
Dragoun, O., see Kašpar, J. . . . 527 (2004) 423
Drobzhev, V.I., see Chubenko, A.P. . . . 527 (2004) 648
Dujardin, C., see Barbier, R. . . . 527 (2004) 175
Dupuy, J., see Sappey-Marinier, D. . . . 527 (2004) 117

Ereditato, A., see Amerio, S. . . . 527 (2004) 329
Escat, B., see Fernández, M.M. . . . 527 (2004) 92

Falchieri, D., E. Gandolfi and M. Masotti, Evaluation of a wavelet-based compression algorithm applied to the silicon drift detectors data of the ALICE experiment at CERN 527 (2004) 580
Falvard, A., see Crespin, S. 527 (2004) 206
Fanourakis, G.K., T. Geralis, K. Kousouris, K. Zachariadou, I. Giomataris, N. Giokaris, G. Loudos, M. Lebessi and E. Stiliaris, The use of the Micromegas technology for a new imaging system. 527 (2004) 62
Fedorov, A., see Annenkov, A. 527 (2004) 50
Fedorov, A., see Auffray, E. 527 (2004) 171
Felcini, M., see Amerio, S. 527 (2004) 329
Ferella, A., see Amerio, S. 527 (2004) 329
Fernández, M.M., J.M. Benlloch, J. Cerdá, B. Escat, E.N. Giménez, M. Giménez, Ch.W. Lerche, J. Martínez, N. Pavón, F. Sánchez and A. Sebastià, A flat-panel-based mini gamma camera for lymph nodes studies 527 (2004) 92
Ferrari, A., see Amerio, S. 527 (2004) 329
Ferreira, N.C., see Ribeiro, R. 527 (2004) 87
Ferri, F., see Amerio, S. 527 (2004) 329
Fetal, S., see Ribeiro, R. 527 (2004) 87
Filossofov, D.V., see Karamian, S.A. 527 (2004) 609
Fiorillo, G., see Amerio, S. 527 (2004) 329
Fortuna, A., see Cusanno, F. 527 (2004) 140
Foudray, A.M., see Levin, C.S. 527 (2004) 35
Fraga, F., see Ribeiro, R. 527 (2004) 87
Fujii, Y., see Carl, M. 527 (2004) 301
Fujisawa, T., see Hashimoto, Y. 527 (2004) 289
Fujita, Y., see Hashimoto, Y. 527 (2004) 289
Furuichi, S., see Shimizu, T. 527 (2004) 543

Galli, S., see Amerio, S. 527 (2004) 329
Gamez, D.G., see Amerio, S. 527 (2004) 329
Gandolfi, E., see Falchieri, D. 527 (2004) 580
Garibaldi, F., see Cusanno, F. 527 (2004) 140
Garibaldi, F., see Pani, R. 527 (2004) 54
Garnier, N., see Barbier, R. 527 (2004) 175
Gayshan, V., see Giokaris, N. 527 (2004) 134
Ge, Y., see Amerio, S. 527 (2004) 329
Geissler, B., D. De Freitas, F. Cachin, D. Mestas, G. Lebouedec and J. Maublant, Radioguided occult lesion localization: better delineation of the injection site with a high-resolution collimator 527 (2004) 216
Geissler, B., see De Freitas, D. 527 (2004) 113
Gektin, A., see Giokaris, N. 527 (2004) 134
Geralis, T., see Fanourakis, G.K. 527 (2004) 62
German, U., see Presler, O. 527 (2004) 632
Giammarile, F. and A. Bremond, Diagnostic of breast cancer: what do clinicians expect from PEM? 527 (2004) 83
Gibin, D., see Amerio, S. 527 (2004) 329
Gil-Botella, I., see Amerio, S. 527 (2004) 329
Giménez, E.N., see Fernández, M.M. 527 (2004) 92
Giménez, M., see Fernández, M.M. 527 (2004) 92
Giokaris, N., G. Loudos, D. Maintas, A. Karabarbounis, V. Spanoudaki, E. Stiliaris, S. Boukis, A. Gektin, A. Boyarintsev, V. Pedash and V. Gayshan, Crystal and collimator optimization studies of a high-resolution γ-camera based on a position sensitive photomultiplier 527 (2004) 134
Giokaris, N., see Fanourakis, G.K. 527 (2004) 62
Giokaris, N., see Loudos, G. 527 (2004) 145
Giokaris, N.D., see Loudos, G.K. 527 (2004) 97
Giokaris, N.D., see Paschalis, P. 527 (2004) 211
Giokaris, N.D., see Spanoudaki, V. 527 (2004) 151
Giomataris, I., see Fanourakis, G.K. 527 (2004) 62
Giuliani, F., see Cusanno, F. 527 (2004) 140
Gläßner, C., see Welsch, C.P. 527 (2004) 284
Golan, H., see Presler, O. 527 (2004) 632
Goyal, H.C., see Yadav, K.K. 527 (2004) 411

Graczyk, K., see Amerio, S. 527 (2004) 329
Grandi, L., see Amerio, S. 527 (2004) 329
Grenier, D., see Sappey-Marinier, D. 527 (2004) 117
Grey, D.J., R.K. Sood and R.K. Manchanda, Resolution and spectral characteristics of ultra high pressure proportional counters using various quench gases 527 (2004) 493
Gricia, M., see Cusanno, F. 527 (2004) 140
Grishchenko, V.F., see Chubenko, A.P. 527 (2004) 648
Gudkova, E.N., see Chubenko, A.P. 527 (2004) 648
Guglielmi, A., see Amerio, S. 527 (2004) 329
Gupta, V., see Mishra, G. 527 (2004) 233
Guseva, Z.M., see Chubenko, A.P. 527 (2004) 648
Gustavino, C., A. Candela, M. De Deo, M. D'Incecco, N. Redaelli, A. Tonazzo and G.C. Trinchero, Performance of glass RPC operated in avalanche mode 527 (2004) 471

Habte, F., see Levin, C.S. 527 (2004) 35
Haggblad, J., see Carl, M. 527 (2004) 301
Hahn, U., T. Kamps, R. Lorenz, W. Riesch, H.J. Schreiber and F. Tonisch, Waveguide monitors—a new type of beam position monitors for the TTF FEL 527 (2004) 240
Hashimoto, O., see Carl, M. 527 (2004) 301
Hashimoto, Y., T. Fujisawa, T. Morimoto, Y. Fujita, T. Honma, S. Muto, K. Noda, Y. Sato and S. Yamada, Oxygen gas-sheet beam profile monitor for the synchrotron and storage ring 527 (2004) 289
Hasserodt, J., see Sappey-Marinier, D. 527 (2004) 117
Hasumoto, M., see Naito, T. 527 (2004) 624
Hatzipavlidou, B., see Kotzassarlidou, M. 527 (2004) 110
Hauge, H.H., see Cekaite, L. 527 (2004) 68
Havulinna, J., see Spartiotis, K. 527 (2004) 478
He, K., see Amerio, S. 527 (2004) 329
Heinrichs, U., see Auffray, E. 527 (2004) 171
Henzl, V., see Karamian, S.A. 527 (2004) 609
Henzlova, D., see Karamian, S.A. 527 (2004) 609
Herfurth, F., see Beck, D. 527 (2004) 567
Hirayama, H., see Asai, J. 527 (2004) 264
Holeczek, J., see Amerio, S. 527 (2004) 329
Honma, T., see Hashimoto, Y. 527 (2004) 289
Hossbach, T., see Peterson, T. 527 (2004) 432
Houlden, M.A., see Court, G.R. 527 (2004) 253
Hovig, E., see Cekaite, L. 527 (2004) 68
Hu, L.Q., see Chen, Z.Y. 527 (2004) 604
Hu, Q.S., see Chen, Z.Y. 527 (2004) 604
Huang, X., see Amerio, S. 527 (2004) 329

Iijima, M., see Carl, M. 527 (2004) 301
Ino, T., see Muhrer, G. 527 (2004) 531
Itti, E., see Itti, R. 527 (2004) 130
Itti, R., Potential clinical impact of radionuclide imaging technologies: highlights of the ITBS 2003 meeting. . . 527 (2004) 220
Itti, R., Y. Merabet, R. Roca, L. Bontemps and E. Itti, "THE UNVEILED HEART" a teaching program in cardiovascular nuclear medicine 527 (2004) 130
Ivanov, M.P., see černý, J. 527 (2004) 512

Jacobs, W.W., see Peterson, T. 527 (2004) 432
James, R.B., see Kolesnikov, N.N. 527 (2004) 73
Jan, S., see Assié, K. 527 (2004) 180
Janier, M., see Barbier, R. 527 (2004) 175
Janier, M., see Sappey-Marinier, D. 527 (2004) 117
Jeandey, M., see Sappey-Marinier, D. 527 (2004) 117
Jiahua, M., see Sang, W. 527 (2004) 487

Jianyong, T., see Sang, W. 527 (2004) 487
Johansson, C., see Peterson, T. 527 (2004) 432
Juszczak, C., see Amerio, S. 527 (2004) 329

Kalinnikov, V.G., see Karamian, S.A. 527 (2004) 609
Kamenskikh, I.A., see Barbier, R. 527 (2004) 175
Kamps, T., see Hahn, U. 527 (2004) 240
Kanda, A., see Yadav, K.K. 527 (2004) 411
Kanevskaya, Y.A., see Chubenko, A.P. 527 (2004) 648
Karabarbounis, A., see Giokaris, N. 527 (2004) 134
Karabarbounis, A., see Loudos, G.K. 527 (2004) 97
Karabarbounis, A., see Paschalis, P. 527 (2004) 211
Karabarbounis, A., see Spanoudaki, V. 527 (2004) 151
Karamian, S.A., J. Adam, P. Chaloun, D.V. Filossofov, V. Henzl, D. Henzlova, V.G. Kalinnikov, N.A. Korolev, N.A. Lebedev, A.F. Novgorodov, C.B. Collins, I.I. Popescu and C.A. Ur, Yield of radionuclides and isomers produced in the fragmentation of ^{nat}W and ^{186}W (97%) targets with protons at 630, 420 and 270 MeV. . . . 527 (2004) 609
Kardjilov, N., E. Lehmann, E. Steichele and P. Vontobel, Phase-contrast radiography with a polychromatic neutron beam 527 (2004) 519
Kašpar, J., M. Ryšavý, A. Špalek and O. Dragoun, Effect of energy scale imperfections on results of neutrino mass measurements from β-decay 527 (2004) 423
Kataria, S.K., see Alex, M. 527 (2004) 562
Kataria, S.K., see Mishra, V. 527 (2004) 308
Kaul, S.K., see Yadav, K.K. 527 (2004) 411
Kaul, S.R., see Yadav, K.K. 527 (2004) 411
Kawade, K., see Shimizu, T. 527 (2004) 543
Keith, C.D., see Court, G.R. 527 (2004) 253
Kiełczewska, D., see Amerio, S. 527 (2004) 329
Kinashi, T., see Peterson, T. 527 (2004) 432
Kisiel, J., see Amerio, S. 527 (2004) 329
Kiyanagi, Y., see Muhrer, G. 527 (2004) 531
Klug, J., see Peterson, T. 527 (2004) 432
Klyachko, A.V., see Peterson, T. 527 (2004) 432
Kobayashi, S., see Saha, L. 527 (2004) 27
Koch, J.A., see Schmid, G.J. 527 (2004) 554
Kolesnikov, N.N., V.V. Kveder, R.B. James, D.N. Borisenko and M.P. Kulakov, Growth of CdTe nanocrystals by vapor deposition method 527 (2004) 73
Korjik, M., see Auffray, E. 527 (2004) 171
Korolev, N.A., see Karamian, S.A. 527 (2004) 609
Korzhik, M., see Annenkov, A. 527 (2004) 50
Kostaki, P., see Kotzassarlidou, M. 527 (2004) 110
Kothari, M., see Yadav, K.K. 527 (2004) 411
Kotzassarlidou, M., B. Hatzipavlidou, A. Makridou, P. Kostaki and N. Salem, Practical considerations in selecting and using intraoperative gamma probes 527 (2004) 110
Koul, R., see Yadav, K.K. 527 (2004) 411
Kousouris, K., see Fanourakis, G.K. 527 (2004) 62
Kozłowski, T., see Amerio, S. 527 (2004) 329
Kraemer, D., see Mishra, G. 527 (2004) 233
Krieguer, M., see Assié, K. 527 (2004) 180
Krieguer, M., see Auffray, E. 527 (2004) 171
Krieguer, M., see Simon, L. 527 (2004) 190
Kriplani, A., see Woody, C. 527 (2004) 166
Kryakunova, O.N., see Chubenko, A.P. 527 (2004) 648
Kryukov, S.V., see Chubenko, A.P. 527 (2004) 648
Kucewicz, W., see Cappellini, C. 527 (2004) 46
Kulakov, M.P., see Kolesnikov, N.N. 527 (2004) 73
Kulikov, A. and M. Zhabitsky, Dead time losses and their measurement in DIRAC 527 (2004) 591
Kuna-Ciskał, H., see Amerio, S. 527 (2004) 329

Kuntner, C., see Auffray, E. . . . 527 (2004) 171
Kupchishin, A.I., see Chubenko, A.P. . . . 527 (2004) 648
Kuske, B., see Mishra, G. . . . 527 (2004) 233
Kuzmin, E.S., see černý, J. . . . 527 (2004) 512
Kveder, V.V., see Kolesnikov, N.N. . . . 527 (2004) 73

Lacasta, C., see Bernabeu, J. . . . 527 (2004) 58
Laffranchi, M., see Amerio, S. . . . 527 (2004) 329
Łagoda, J., see Amerio, S. . . . 527 (2004) 329
Lanconelli, N., see Motta, A. . . . 527 (2004) 201
Langlois, J.B., see Sappey-Marinier, D. . . . 527 (2004) 117
Lanza, R.C., see Cusanno, F. . . . 527 (2004) 140
Largeron, G., see Barbier, R. . . . 527 (2004) 175
Lartizien, C., see Auffray, E. . . . 527 (2004) 171
Lartizien, C., see Sappey-Marinier, D. . . . 527 (2004) 117
Lazaro, D., V. Breton and I. Buvat, Feasibility and value of fully 3D Monte Carlo reconstruction in single-photon emission computed tomography . . . 527 (2004) 195
Lazaro, D., see Assié, K. . . . 527 (2004) 180
Lebedev, N.A., see Karamian, S.A. . . . 527 (2004) 609
Lebessi, M., see Fanourakis, G.K. . . . 527 (2004) 62
Lebouedec, G., see Geissler, B. . . . 527 (2004) 216
Lecomte, R., Technology challenges in small animal PET imaging . . . 527 (2004) 157
Lecoq, P., see Annenkov, A. . . . 527 (2004) 50
Lecoq, P., see Auffray, E. . . . 527 (2004) 171
Lecoq, P., see Ribeiro, R. . . . 527 (2004) 87
Lehmann, E., see Kardjilov, N. . . . 527 (2004) 519
Lenc, M., see van Aken, R.H. . . . 527 (2004) 660
Leonard, S., see Auffray, E. . . . 527 (2004) 171
Leppänen, A., see Spartiotis, K. . . . 527 (2004) 478
Lerche, Ch.W., see Fernández, M.M. . . . 527 (2004) 92
Lerche, R.A., see Schmid, G.J. . . . 527 (2004) 554
Levin, C.S., F. Habte and A.M. Foudray, Methods to extract more light from minute scintillation crystals used in an ultra-high resolution positron emission tomography detector . . . 527 (2004) 35
Li, Z., see Amerio, S. . . . 527 (2004) 329
Lin, S.Y., see Chen, Z.Y. . . . 527 (2004) 604
Lisowski, B., see Amerio, S. . . . 527 (2004) 329
Llosà, G., see Bernabeu, J. . . . 527 (2004) 58
Loizzo, A., see Cusanno, F. . . . 527 (2004) 140
Longo, G., see Bellunato, T. . . . 527 (2004) 319
Lorenz, R., see Hahn, U. . . . 527 (2004) 240
Loudos, G., N. Sakelios, N. Giokaris, K. Nikita, N. Uzunoglu and D. Maintas, A modification of the dual energy window subtraction method for scatter compensation in pixelized scintillators for SPECT . . . 527 (2004) 145
Loudos, G., see Fanourakis, G.K. . . . 527 (2004) 62
Loudos, G., see Giokaris, N. . . . 527 (2004) 134
Loudos, G.K., N.D. Giokaris, K. Mainta, N. Sakelios, E. Stiliaris, A. Karabarbounis, C.N. Papanicolas, V. Spanoudaki, K.S. Nikita, N.K. Uzunoglu, S.C. Archimandritis, A.D. Varvarigou, K.N. Stefanis, S. Majewski, A. Weisenberger, R. Pani and D. Maintas, High-resolution and high-sensitivity SPECT imaging of breast phantoms . . . 527 (2004) 97
Loudos, G.K., see Paschalis, P. . . . 527 (2004) 211
Loudos, G.K., see Spanoudaki, V. . . . 527 (2004) 151
Lu, F., see Amerio, S. . . . 527 (2004) 329
Lucentini, M., see Cusanno, F. . . . 527 (2004) 140
Lui, S.X., see Chen, Z.Y. . . . 527 (2004) 604

Ma, J., see Amerio, S. . . . 527 (2004) 329
Mai, W., see Sappey-Marinier, D. . . . 527 (2004) 117

Mainta, K., see Loudos, G.K. . . . 527 (2004) 97
Maintas, D., see Giokaris, N. . . . 527 (2004) 134
Maintas, D., see Loudos, G. . . . 527 (2004) 145
Maintas, D., see Loudos, G.K. . . . 527 (2004) 97
Maintas, D., see Paschalis, P. . . . 527 (2004) 211
Maintas, D., see Spanoudaki, V. . . . 527 (2004) 151
Maitrejean, S., see Barthe, N. . . . 527 (2004) 41
Majewski, S., see Loudos, G.K. . . . 527 (2004) 97
Makridou, A., see Kotzassarlidou, M. . . . 527 (2004) 110
Manchanda, R.K., see Grey, D.J. . . . 527 (2004) 493
Mangano, G., see Amerio, S. . . . 527 (2004) 329
Mannocchi, G., see Amerio, S. . . . 527 (2004) 329
Marinier, D.S., see Barbier, R. . . . 527 (2004) 175
Markiewicz, M., see Amerio, S. . . . 527 (2004) 329
Marteau, J., see Barbier, R. . . . 527 (2004) 175
Martínez, J., see Fernández, M.M. . . . 527 (2004) 92
Martins, M., see Ribeiro, R. . . . 527 (2004) 87
Martyanov, I.S., see Chubenko, A.P. . . . 527 (2004) 648
Masotti, M., see Falchieri, D. . . . 527 (2004) 580
Matela, N., see Ribeiro, R. . . . 527 (2004) 87
Matsumura, A., see Carl, M. . . . 527 (2004) 301
Matteuzzi, C., see Bellunato, T. . . . 527 (2004) 319
Matthey, C., see Amerio, S. . . . 527 (2004) 329
Maublant, J., see Crespin, S. . . . 527 (2004) 206
Maublant, J., see De Freitas, D. . . . 527 (2004) 113
Maublant, J., see Geissler, B. . . . 527 (2004) 216
Mauri, F., see Amerio, S. . . . 527 (2004) 329
Maximenko, V.M., see Chubenko, A.P. . . . 527 (2004) 648
Mazza, D., see Amerio, S. . . . 527 (2004) 329
McKinley, R.L., M.P. Tornai, E. Samei and M.L. Bradshaw, Development of an optimal X-ray beam for dual-mode emission and transmission mammotomography . . . 527 (2004) 102
Melgarejo, A.J., see Amerio, S. . . . 527 (2004) 329
Menegolli, A., see Amerio, S. . . . 527 (2004) 329
Meng, G., see Amerio, S. . . . 527 (2004) 329
Merabet, Y., see Itti, R. . . . 527 (2004) 130
Messina, M., see Amerio, S. . . . 527 (2004) 329
Mestas, D., see Geissler, B. . . . 527 (2004) 216
Mietelski, J.W., see Amerio, S. . . . 527 (2004) 329
Mikuž, M., see Bernabeu, J. . . . 527 (2004) 58
Mishra, G., V. Gupta, N.P. Rajput, B. Kuske, D. Kraemer and R. Bakker, Damping of betatron oscillations in undulator magnets with the aid of an axial magnetic field . . . 527 (2004) 233
Mishra, V., V.B. Chandratre, M.Y. Dixit, V.D. Shrivastava, A. Topkar, S.K. Kataria, Y.P.P. Rao and N.P. Shankarnarayana, Studies on reducing leakage current and improving breakdown voltage of large-area silicon detectors: technology and results . . . 527 (2004) 308
Missevitch, O., see Annenkov, A. . . . 527 (2004) 50
Mitev, K.K., see Pressyanov, D.S. . . . 527 (2004) 657
Montanari, C., see Amerio, S. . . . 527 (2004) 329
Moran, M.J., see Schmid, G.J. . . . 527 (2004) 554
Morel, C., see Assié, K. . . . 527 (2004) 180
Morel, C., see Simon, L. . . . 527 (2004) 190
Morel, Ch., see Auffray, E. . . . 527 (2004) 171
Morimoto, T., see Hashimoto, Y. . . . 527 (2004) 289
Mortari, G.P., see Amerio, S. . . . 527 (2004) 329
Moses, W.W. and J. Qi, Instrumentation optimization for positron emission mammography . . . 527 (2004) 76
Mosset, J.B., see Auffray, E. . . . 527 (2004) 171

Motta, A., S. Righi, A. Del Guerra, N. Belcari, A. Vaiano, G. Di Domenico, G. Zavattini, R. Campanini, N. Lanconelli and A. Riccardi, A full Monte Carlo simulation of the YAP-PEM prototype for breast tumor detection . . . 527 (2004) 201
Moura, R., see Ribeiro, R. . . . 527 (2004) 87
Muhrer, G., E.J. Pitcher, G.J. Russell, T. Ino, M. Ooi and Y. Kiyanagi, Comparison of the measured thermal neutron beam characteristics at the Lujan center with Monte Carlo transport calculations . . . 527 (2004) 531
Mukashev, K.K., see Chubenko, A.P. . . . 527 (2004) 648
Mukhamedshin, R.A., see Chubenko, A.P. . . . 527 (2004) 648
Muraro, S., see Amerio, S. . . . 527 (2004) 329
Musy, M., see Bellunato, T. . . . 527 (2004) 319
Muto, S., see Hashimoto, Y. . . . 527 (2004) 289

Nadel-Turonski, P., see Peterson, T. . . . 527 (2004) 432
Nain, R.A., see Chubenko, A.P. . . . 527 (2004) 648
Naito, T., M. Tadano, N. Terunuma, J. Urakawa, E. Nakamura, M. Hasumoto, H. Sakai, T. Shibuya, F. Sakai, H. Ohgaki and N. Sei, Investigation of carbon contamination on SR-irradiated devices . . . 527 (2004) 624
Nakamura, E., see Naito, T. . . . 527 (2004) 624
Nakamura, S.N., see Carl, M. . . . 527 (2004) 301
Navas-Concha, S., see Amerio, S. . . . 527 (2004) 329
Negri, P., see Bellunato, T. . . . 527 (2004) 319
Nesterova, N.M., see Chubenko, A.P. . . . 527 (2004) 648
Nicoletto, M., see Amerio, S. . . . 527 (2004) 329
Nikita, K., see Loudos, G. . . . 527 (2004) 145
Nikita, K.S., see Loudos, G.K. . . . 527 (2004) 97
Nilsson, L., see Peterson, T. . . . 527 (2004) 432
Noda, K., see Hashimoto, Y. . . . 527 (2004) 289
Nomura, H., see Carl, M. . . . 527 (2004) 301
Novgorodov, A.F., see Karamian, S.A. . . . 527 (2004) 609
Novolodskaya, O.A., see Chubenko, A.P. . . . 527 (2004) 648
Nowak, J., see Amerio, S. . . . 527 (2004) 329
Nurzia, G., see Amerio, S. . . . 527 (2004) 329

O'Connor, P., see Woody, C. . . . 527 (2004) 166
Odet, C., see Sappey-Marinier, D. . . . 527 (2004) 117
Ohgaki, H., see Naito, T. . . . 527 (2004) 624
Ohtani, A., see Carl, M. . . . 527 (2004) 301
Okayasu, Y., see Carl, M. . . . 527 (2004) 301
Olivier, P., Nuclear oncology, a fast growing field of nuclear medicine . . . 527 (2004) 4
Olsson, N., see Peterson, T. . . . 527 (2004) 432
Oms, J., Lifetime extraction from delayed-coincidence experiments by a direct deconvolution method . . . 527 (2004) 598
Ooi, M., see Muhrer, G. . . . 527 (2004) 531
Ortigão, C., see Ribeiro, R. . . . 527 (2004) 87
Oskomov, V.V., see Chubenko, A.P. . . . 527 (2004) 648
Osuna, C., see Amerio, S. . . . 527 (2004) 329
Otwinowski, S., see Amerio, S. . . . 527 (2004) 329
Ouyang, Q., see Amerio, S. . . . 527 (2004) 329
Oyamada, M., see Carl, M. . . . 527 (2004) 301

Palamara, O., see Amerio, S. . . . 527 (2004) 329
Pani, R., R. Pellegrini, M.N. Cinti, C. Trotta, P. Bennati, F. Cusanno and F. Garibaldi, Imaging detector designs based on flat panel PMT . . . 527 (2004) 54
Pani, R., see Cusanno, F. . . . 527 (2004) 140
Pani, R., see Loudos, G.K. . . . 527 (2004) 97
Pantsar, T., see Spartiotis, K. . . . 527 (2004) 478
Papanicolas, C.N., see Loudos, G.K. . . . 527 (2004) 97
Papanicolas, C.N., see Paschalis, P. . . . 527 (2004) 211

Papanicolas, C.N., see Spanoudaki, V. . . . 527 (2004) 151
Paschalis, P., N.D. Giokaris, A. Karabarbounis, G.K. Loudos, D. Maintas, C.N. Papanicolas, V. Spanoudaki, Ch. Tsoumpas and E. Stiliaris, Tomographic image reconstruction using Artificial Neural Networks 527 (2004) 211
Paschalis, P., see Spanoudaki, V. . . . 527 (2004) 151
Pascoli, D., see Amerio, S. . . . 527 (2004) 329
Pavlyuchenko, V.P., see Chubenko, A.P. . . . 527 (2004) 648
Pavón, N., see Fernández, M.M. . . . 527 (2004) 92
Pedash, V., see Giokaris, N. . . . 527 (2004) 134
Pedrini, C., see Barbier, R. . . . 527 (2004) 175
Pedrini, Ch., see Auffray, E. . . . 527 (2004) 171
Pellegrini, R., see Cusanno, F. . . . 527 (2004) 140
Pellegrini, R., see Pani, R. . . . 527 (2004) 54
Penttila, S.I., see Court, G.R. . . . 527 (2004) 253
Peralta, L., see Ribeiro, R. . . . 527 (2004) 87
Perego, D.L., see Bellunato, T. . . . 527 (2004) 319
Periale, L., see Amerio, S. . . . 527 (2004) 329
Peterson, T., S.E. Vigdor, C. Allgower, B. Bergenwall, L.C. Bland, J. Blomgren, J. Doskow, T. Hossbach, W.W. Jacobs, C. Johansson, T. Kinashi, J. Klug, A.V. Klyachko, P. Nadel-Turonski, L. Nilsson, N. Olsson, M. Planinic, S. Pomp, J. Rapaport, T. Rinckel, E.J. Stephenson, U. Tippawan, S.W. Wissink and Y. Zhou, Development of a tagged neutron facility at intermediate energies 527 (2004) 432
Petrosian, A., see Auffray, E. . . . 527 (2004) 171
Piazzoli, A., see Amerio, S. . . . 527 (2004) 329
Picchi, P., see Amerio, S. . . . 527 (2004) 329
Pietropaolo, F., see Amerio, S. . . . 527 (2004) 329
Pietrzyk, U., see Auffray, E. . . . 527 (2004) 171
Piscal, V.V., see Chubenko, A.P. . . . 527 (2004) 648
Pitcher, E.J., see Muhrer, G. . . . 527 (2004) 531
Planinic, M., see Peterson, T. . . . 527 (2004) 432
Półchłopek, W., see Amerio, S. . . . 527 (2004) 329
Pomp, S., see Peterson, T. . . . 527 (2004) 432
Popescu, I.I., see Karamian, S.A. . . . 527 (2004) 609
Prasad, D.N., see Alex, M. . . . 527 (2004) 562
Prasad, K.R., see Alex, M. . . . 527 (2004) 562
Prata, M., see Amerio, S. . . . 527 (2004) 329
Pratte, J.-F., see Woody, C. . . . 527 (2004) 166
Presler, O., U. German, H. Golan and Z.B. Alfassi, Determination of a source in a box with two detectors. The general case 527 (2004) 632
Pressyanov, D.S., K.K. Mitev and V.H. Stefanov, Measurement of ^{85}Kr and ^{133}Xe in air by absorption in Makrofol 527 (2004) 657
Prest, M., see Cappellini, C. . . . 527 (2004) 46
Prok, Y.A., see Court, G.R. . . . 527 (2004) 253
Puchkov, V.S., see Chubenko, A.P. . . . 527 (2004) 648
Puhakka, K., see Spartiotis, K. . . . 527 (2004) 478
Pyyhtiä, J., see Spartiotis, K. . . . 527 (2004) 478

Qi, J., see Moses, W.W. . . . 527 (2004) 76
Qi, Z., see Sang, W. . . . 527 (2004) 487

Radeka, V., see Woody, C. . . . 527 (2004) 166
Rajput, N.P., see Mishra, G. . . . 527 (2004) 233
Ramos, S., see Ribeiro, R. . . . 527 (2004) 87
Rancati, T., see Amerio, S. . . . 527 (2004) 329
Rannot, R.C., see Yadav, K.K. . . . 527 (2004) 411
Rao, Y.P.P., see Mishra, V. . . . 527 (2004) 308
Rapaport, J., see Peterson, T. . . . 527 (2004) 432
Rappoldi, A., see Amerio, S. . . . 527 (2004) 329

Raselli, G.L., see Amerio, S. . . . 527 (2004) 329
Rato, P., see Ribeiro, R. . . . 527 (2004) 87
Redaelli, N., see Gustavino, C. . . . 527 (2004) 471
Reinhold, J., see Carl, M. . . . 527 (2004) 301
Renker, D., Photosensors . . . 527 (2004) 15
Rescia, S., see Woody, C. . . . 527 (2004) 166
Rey, M., see Assié, K. . . . 527 (2004) 180
Rey, M., see Auffray, E. . . . 527 (2004) 171
Ribeiro, R., C. Abreu, P. Almeida, F. Balau, P. Bordalo, N.C. Ferreira, S. Fetal, F. Fraga, P. Lecoq, M. Martins, N. Matela, R. Moura, C. Ortigão, L. Peralta, S. Ramos, P. Rato, P. Rodrigues, A.I. Santos, A. Trindade and J. Varela, Breast imaging with a dedicated PEM . . . 527 (2004) 87
Ricard, M., Imaging of gamma emitters using scintillation cameras . . . 527 (2004) 124
Riccardi, A., see Motta, A. . . . 527 (2004) 201
Rico, J., see Amerio, S. . . . 527 (2004) 329
Riesch, W., see Hahn, U. . . . 527 (2004) 240
Righi, S., see Motta, A. . . . 527 (2004) 201
Rinckel, T., see Peterson, T. . . . 527 (2004) 432
Roca, R., see Itti, R. . . . 527 (2004) 130
Rodrigues, P., see Ribeiro, R. . . . 527 (2004) 87
Roe, S., see Bernabeu, J. . . . 527 (2004) 58
Rogers, W.L., see Bernabeu, J. . . . 527 (2004) 58
Rondio, E., see Amerio, S. . . . 527 (2004) 329
Rossella, M., see Amerio, S. . . . 527 (2004) 329
Rubbia, A., see Amerio, S. . . . 527 (2004) 329
Rubbia, C., see Amerio, S. . . . 527 (2004) 329
Russell, G.J., see Muhrer, G. . . . 527 (2004) 531
Ryabov, V.A., see Chubenko, A.P. . . . 527 (2004) 648
Ryšavý, M., see Kašpar, J. . . . 527 (2004) 423

Sadykov, T.K., see Chubenko, A.P. . . . 527 (2004) 648
Saha, L., K. Saitoh and S. Kobayashi, Study of DOI resolution and imaging resolution of a PET device. . . . 527 (2004) 27
Saitoh, K., see Saha, L. . . . 527 (2004) 27
Sakai, F., see Naito, T. . . . 527 (2004) 624
Sakai, H., see Naito, T. . . . 527 (2004) 624
Sakane, H., see Shimizu, T. . . . 527 (2004) 543
Sakelios, N., see Loudos, G. . . . 527 (2004) 145
Sakelios, N., see Loudos, G.K. . . . 527 (2004) 97
Sala, P., see Amerio, S. . . . 527 (2004) 329
Saladino, S., see Auffray, E. . . . 527 (2004) 171
Salem, N., see Kotzassarlidou, M. . . . 527 (2004) 110
Samarut, J., see Sappey-Marinier, D. . . . 527 (2004) 117
Samei, E., see McKinley, R.L. . . . 527 (2004) 102
Sampietro, C., see Cappellini, C. . . . 527 (2004) 46
Sánchez, F., see Fernández, M.M. . . . 527 (2004) 92
Sang, W., J. Wei, Z. Qi, L. Wanwan, M. Jiahua, T. Jianyong and Q. Yongbiao, Primary study on the contact degradation mechanism of CdZnTe detectors. . . . 527 (2004) 487
Santavenere, F., see Cusanno, F. . . . 527 (2004) 140
Santin, G., see Assié, K. . . . 527 (2004) 180
Santin, G., see Simon, L. . . . 527 (2004) 190
Santorelli, R., see Amerio, S. . . . 527 (2004) 329
Santos, A.I., see Ribeiro, R. . . . 527 (2004) 87
Sappey-Marinier, D., O. Beuf, C. Billotey, E. Chereul, J. Dupuy, M. Jeandey, D. Grenier, J. Hasserodt, J.B. Langlois, C. Lartizien, W. Mai, C. Odet, J. Samarut, D. Vray, L. Zimmer and M. Janier, The ANIMAGE project: a multimodal imaging platform for small animal research . . . 527 (2004) 117
Sappey-Marinier, D., see Auffray, E. . . . 527 (2004) 171
Sato, Y., see Carl, M. . . . 527 (2004) 301
Sato, Y., see Hashimoto, Y. . . . 527 (2004) 289

Scannicchio, D., see Amerio, S. ... 527 (2004) 329
Schempp, A., see Welsch, C.P. ... 527 (2004) 284
Schlyer, D., see Woody, C. ... 527 (2004) 166
Schmid, G.J., J.A. Koch, R.A. Lerche and M.J. Moran, A neutron sensor based on single crystal CVD diamond ... 527 (2004) 554
Schmidt-Böcking, H., see Welsch, C.P. ... 527 (2004) 284
Schreiber, H.J., see Hahn, U. ... 527 (2004) 240
Schulman, T., see Spartiotis, K. ... 527 (2004) 478
Schwarz, S., see Beck, D. ... 527 (2004) 567
Scopinaro, F., see Cusanno, F. ... 527 (2004) 140
Sebastià, A., see Fernández, M.M. ... 527 (2004) 92
Segreto, E., see Amerio, S. ... 527 (2004) 329
Sei, N., see Naito, T. ... 527 (2004) 624
Seo, Y., see Amerio, S. ... 527 (2004) 329
Sergiampietri, F., see Amerio, S. ... 527 (2004) 329
Shankarnarayana, N.P., see Mishra, V. ... 527 (2004) 308
Shaulov, S.B., see Chubenko, A.P. ... 527 (2004) 648
Shepetov, A.L., see Chubenko, A.P. ... 527 (2004) 648
Shi, Y.J., see Chen, Z.Y. ... 527 (2004) 604
Shibata, M., see Shimizu, T. ... 527 (2004) 543
Shibuya, T., see Naito, T. ... 527 (2004) 624
Shimizu, T., H. Sakane, S. Furuichi, M. Shibata, K. Kawade and H. Takeuchi, An improved pneumatic sample transport system for measurement of activation cross-sections with d-D neutrons in the energy range between 2.1 and 3.1 MeV ... 527 (2004) 543
Shokouhi, S., see Woody, C. ... 527 (2004) 166
Shrivastava, V.D., see Mishra, V. ... 527 (2004) 308
Simon, L., D. Strul, G. Santin, M. Krieguer and C. Morel, Simulation of time curves in small animal PET using GATE ... 527 (2004) 190
Simon, L., see Assié, K. ... 527 (2004) 180
Simon, L., see Auffray, E. ... 527 (2004) 171
Sin, M., EMPIRE-II code-system with RIPL database as a tool for nuclear spectroscopy ... 527 (2004) 462
Sitnik, I.M., Optimum target thickness for polarimeters ... 527 (2004) 278
Slavatinsky, S.A., see Chubenko, A.P. ... 527 (2004) 648
Sobczyk, J., see Amerio, S. ... 527 (2004) 329
Sood, R.K., see Grey, D.J. ... 527 (2004) 493
Špalek, A., see Kašpar, J. ... 527 (2004) 423
Spanoudaki, V., N.D. Giokaris, A. Karabarbounis, G.K. Loudos, D. Maintas, C.N. Papanicolas, P. Paschalis and E. Stiliaris, Design and development of a position-sensitive γ-camera for SPECT imaging based on PCI electronics ... 527 (2004) 151
Spanoudaki, V., see Giokaris, N. ... 527 (2004) 134
Spanoudaki, V., see Loudos, G.K. ... 527 (2004) 97
Spanoudaki, V., see Paschalis, P. ... 527 (2004) 211
Spartiotis, K., J. Havulinna, A. Leppänen, T. Pantsar, K. Puhakka, J. Pyyhtiä and T. Schulman, A CdTe real time X-ray imaging sensor and system ... 527 (2004) 478
Spinelli, N., see Amerio, S. ... 527 (2004) 329
Staelens, S., see Assié, K. ... 527 (2004) 180
Stefanis, K.N., see Loudos, G.K. ... 527 (2004) 97
Stefanov, V.H., see Pressyanov, D.S. ... 527 (2004) 657
Steichele, E., see Kardjilov, N. ... 527 (2004) 519
Stepaniak, J., see Amerio, S. ... 527 (2004) 329
Stepanov, A.V., see Chubenko, A.P. ... 527 (2004) 648
Stephenson, E.J., see Peterson, T. ... 527 (2004) 432
Stiliaris, E., see Fanourakis, G.K. ... 527 (2004) 62
Stiliaris, E., see Giokaris, N. ... 527 (2004) 134
Stiliaris, E., see Loudos, G.K. ... 527 (2004) 97
Stiliaris, E., see Paschalis, P. ... 527 (2004) 211
Stiliaris, E., see Spanoudaki, V. ... 527 (2004) 151
Stoll, S., see Woody, C. ... 527 (2004) 166

Streun, M., see Auffray, E. 527 (2004) 171
Strul, D., see Assié, K. 527 (2004) 180
Strul, D., see Simon, L. 527 (2004) 190
Studen, A., see Bernabeu, J. 527 (2004) 58
Sulej, R., see Amerio, S. 527 (2004) 329
Sultangazin, V.M., see Chubenko, A.P. 527 (2004) 648
Švejda, J., see černý, J. 527 (2004) 512
Szarska, M., see Amerio, S. 527 (2004) 329
Szeptycka, M., see Amerio, S. 527 (2004) 329

Tadano, M., see Naito, T. 527 (2004) 624
Takanaka, M., Feasibility of projectile-fragment-beam separation in a storage ring 527 (2004) 273
Takeuchi, H., see Shimizu, T. 527 (2004) 543
Tang, L., see Carl, M. 527 (2004) 301
Tarawneh, H. and E. Wallén, Soft end dipole magnet design for the MAX-IV storage rings 527 (2004) 652
Tavernier, S., see Auffray, E. 527 (2004) 171
Terrani, M., see Amerio, S. 527 (2004) 329
Terunuma, N., see Naito, T. 527 (2004) 624
Tickoo, A.K., see Yadav, K.K. 527 (2004) 411
Tippawan, U., see Peterson, T. 527 (2004) 432
Tonazzo, A., see Gustavino, C. 527 (2004) 471
Tonisch, F., see Hahn, U. 527 (2004) 240
Topkar, A., see Mishra, V. 527 (2004) 308
Tornai, M.P., see McKinley, R.L. 527 (2004) 102
Trinchero, G., see Amerio, S. 527 (2004) 329
Trinchero, G.C., see Gustavino, C. 527 (2004) 471
Trindade, A., see Ribeiro, R. 527 (2004) 87
Trotta, C., see Pani, R. 527 (2004) 54
Tsoumpas, Ch., see Paschalis, P. 527 (2004) 211

Ullrich, J., see Welsch, C.P. 527 (2004) 284
Ur, C.A., see Karamian, S.A. 527 (2004) 609
Urakawa, J., see Naito, T. 527 (2004) 624
Uzunoglu, N., see Loudos, G. 527 (2004) 145
Uzunoglu, N.K., see Loudos, G.K. 527 (2004) 97

Vaiano, A., see Motta, A. 527 (2004) 201
Vallazza, E., see Cappellini, C. 527 (2004) 46
van Aken, R.H., M. Lenc and J.E. Barth, Erratum to: Aberration integrals for the low-voltage foil corrector [Nucl. Instr. and Meth. A 519 (2004) 205–215] 527 (2004) 660
Van de Walle, R., see Assié, K. 527 (2004) 180
Varela, J., Electronics and data acquisition in radiation detectors for medical imaging 527 (2004) 21
Varela, J., see Ribeiro, R. 527 (2004) 87
Varvarigou, A.D., see Loudos, G.K. 527 (2004) 97
Vaska, P., see Woody, C. 527 (2004) 166
Vavilov, Y.N., see Chubenko, A.P. 527 (2004) 648
Velotta, R., see Amerio, S. 527 (2004) 329
Ventura, S., see Amerio, S. 527 (2004) 329
Venugopal, K., see Yadav, K.K. 527 (2004) 411
Vieira, J.-M., see Assié, K. 527 (2004) 180
Vieira, J.M., see Auffray, E. 527 (2004) 171
Vigdor, S.E., see Peterson, T. 527 (2004) 432
Vignoli, C., see Amerio, S. 527 (2004) 329
Vildanov, N.G., see Chubenko, A.P. 527 (2004) 648
Vildanova, L.I., see Chubenko, A.P. 527 (2004) 648
Villaneuva, A., see Woody, C. 527 (2004) 166

Volkow, N., see Woody, C. 527 (2004) 166
Vontobel, P., see Kardjilov, N. 527 (2004) 519
Vray, D., see Sappey-Marinier, D. 527 (2004) 117

Wallén, E., see Tarawneh, H. 527 (2004) 652
Wan, B.N., see Chen, Z.Y. 527 (2004) 604
Wang, H., see Amerio, S. 527 (2004) 329
Wang, X., see Amerio, S. 527 (2004) 329
Wanwan, L., see Sang, W. 527 (2004) 487
Weber, M.J., Scintillation: mechanisms and new crystals 527 (2004) 9
Wei, J., see Sang, W. 527 (2004) 487
Weilhammer, P., see Bernabeu, J. 527 (2004) 58
Weisenberger, A., see Loudos, G.K. 527 (2004) 97
Welsch, C.P., J. Ullrich, C. Gläßner, A. Schempp, R. Dörner and H. Schmidt-Böcking, FIRE—the Frankfurt Ion stoRage Experiments 527 (2004) 284
Wilhelm, I., see černý, J. 527 (2004) 512
Wissink, S.W., see Peterson, T. 527 (2004) 432
Woo, J., see Amerio, S. 527 (2004) 329
Woody, C., A. Kriplani, P. O'Connor, J.-F. Pratte, V. Radeka, S. Rescia, D. Schlyer, S. Shokouhi, S. Stoll, P. Vaska, A. Villaneuva, N. Volkow and B. Yu, RatCAP: a small, head-mounted PET tomograph for imaging the brain of an awake RAT 527 (2004) 166

Xu, G., see Amerio, S. 527 (2004) 329
Xu, Z., see Amerio, S. 527 (2004) 329

Yadav, K.K., R. Koul, A. Kanda, S.R. Kaul, A.K. Tickoo, R.C. Rannot, P. Chandra, N. Bhatt, N. Chouhan, K. Venugopal, M. Kothari, H.C. Goyal, V.K. Dhar and S.K. Kaul, Real-time data acquisition and control system for the 349-pixel TACTIC atmospheric Cherenkov imaging telescope 527 (2004) 411
Yakovlev, V.I., see Chubenko, A.P. 527 (2004) 648
Yamada, S., see Hashimoto, Y. 527 (2004) 289
Yang, X., see Amerio, S. 527 (2004) 329
Yongbiao, Q., see Sang, W. 527 (2004) 487
Yu, B., see Woody, C. 527 (2004) 166

Zachariadou, K., see Fanourakis, G.K. 527 (2004) 62
Zalewska, A., see Amerio, S. 527 (2004) 329
Zalipska, J., see Amerio, S. 527 (2004) 329
Zastrozhnova, N.N., see Chubenko, A.P. 527 (2004) 648
Zatsepin, G.T., see Chubenko, A.P. 527 (2004) 648
Zavattini, G., see Motta, A. 527 (2004) 201
Zhabitsky, M., see Kulikov, A. 527 (2004) 591
Zhang, C., see Amerio, S. 527 (2004) 329
Zhang, L., see Bernabeu, J. 527 (2004) 58
Zhang, Q., see Amerio, S. 527 (2004) 329
Zhen, S., see Amerio, S. 527 (2004) 329
Zhou, Y., see Peterson, T. 527 (2004) 432
Zhukov, V.V., see Chubenko, A.P. 527 (2004) 648
Ziemons, K., see Auffray, E. 527 (2004) 171
Zimmer, L., see Sappey-Marinier, D. 527 (2004) 117
Zipper, W., see Amerio, S. 527 (2004) 329
Żontar, D., see Bernabeu, J. 527 (2004) 58

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Nuclear Instruments and Methods in Physics Research A 527 (2004) 676–681
NUCLEAR INSTRUMENTS & METHODS IN PHYSICS RESEARCH Section A
www.elsevier.com/locate/nima

Subject index

Proceedings of the 2nd International Conference on
Imaging Technologies in Biomedical Sciences
Athens & Milos Island, Greece, May 160–30, 2003

Editors: Etiennette Auffray, Paul Lecoq, Jean Maublant, Efstathios Stiliaris

Section 1. Tutorial Talks

Medicine for the Physicist

Medicine and economy, J.-Y. Bonnefoy 527 (2004) 1

Nuclear oncology, a fast growing field of nuclear medicine, P. Olivier 527 (2004) 4

Physics for the Physician

Scintillation: mechanisms and new crystals, M.J. Weber 527 (2004) 9

Photosensors, D. Renker 527 (2004) 15

Electronics and data acquisition in radiation detectors for medical imaging, J. Varela 527 (2004) 21

Section 2. PET Imaging

Study of DOI resolution and imaging resolution of a PET device, L. Saha, K. Saitoh and S. Kobayashi 527 (2004) 27

Methods to extract more light from minute scintillation crystals used in an ultra-high resolution positron emission tomography detector, C.S. Levin, F. Habte and A.M. Foudray 527 (2004) 35

Section 3. Beta Imaging

Recent technologic developments on high-resolution beta imaging systems for quantitative autoradiography and double labeling applications, N. Barthe, K. Chatti, P. Coulon, S. Maîtrejean and B. Basse-Cathalinat 527 (2004) 41

First results on real-time quality control and dosimetry of β emitting sources used in medical applications using Silicon strip detectors, C. Cappellini, A. Airoldi, M. Alemi, M. Amati, C. Bianchi, A. Bulgheroni, M. Caccia, L. Conte, W. Kucewicz, M. Prest, E. Vallazza and C. Sampietro 527 (2004) 46

Section 4. Hardware Components

First results on prototype production of new LuYAP crystals, A. Annenkov, A. Fedorov, M. Korzhik, P. Lecoq and O. Missevitch 527 (2004) 50

Imaging detector designs based on flat panel PMT, R. Pani, R. Pellegrini, M.N. Cinti, C. Trotta, P. Bennati, F. Cusanno and F. Garibaldi 527 (2004) 54

doi:10.1016/S0168-9002(04)01329-4

Development of a high efficiency and high resolution Compton probe for prostate imaging, J. Bernabeu, N.H. Clinthorne, Y. Dewaraja, C. Lacasta, G. Llosá, M. Mikuž, S. Roe, W.L. Rogers, A. Studen, P. Weilhammer, L. Zhang and D. Žontar 527 (2004) 58

The use of the Micromegas technology for a new imaging system, G.K. Fanourakis, T. Geralis, K. Kousouris, K. Zachariadou, I. Giomataris, N. Giokaris, G. Loudos, M. Lebessi and E. Stiliaris 527 (2004) 62

Double-sided silicon strip detectors: new applications within genomics and proteomics, L. Cekaite, E. Hovig and H.H. Hauge 527 (2004) 68

Growth of CdTe nanocrystals by vapor deposition method, N.N. Kolesnikov, V.V. Kveder, R.B. James, D.N. Borisenko and M.P. Kulakov 527 (2004) 73

Section 5. Breast Imaging

Instrumentation optimization for positron emission mammography, W.W. Moses and J. Qi 527 (2004) 76

Diagnostic of breast cancer: what do clinicians expect from PEM?, F. Giammarile and A. Bremond 527 (2004) 83

Breast imaging with a dedicated PEM, R. Ribeiro, C. Abreu, P. Almeida, F. Balau, P. Bordalo, N.C. Ferreira, S. Fetal, F. Fraga, P. Lecoq, M. Martins, N. Matela, R. Moura, C. Ortigão, L. Peralta, S. Ramos, P. Rato, P. Rodrigues, A.I. Santos, A. Trindade and J. Varela 527 (2004) 87

A flat-panel-based mini gamma camera for lymph nodes studies, M.M. Fernández, J.M. Benlloch, J. Cerdá, B. Escat, E.N. Giménez, M. Giménez, Ch.W. Lerche, J. Martínez, N. Pavón, F. Sánchez and A. Sebastiá. . . . 527 (2004) 92

High-resolution and high-sensitivity SPECT imaging of breast phantoms, G.K. Loudos, N.D. Giokaris, K. Mainta, N. Sakelios, E. Stiliaris, A. Karabarbounis, C.N. Papanicolas, V. Spanoudaki, K.S. Nikita, N.K. Uzunoglu, S.C. Archimandritis, A.D. Varvarigou, K.N. Stefanis, S. Majewski, A. Weisenberger, R. Pani and D. Maintas 527 (2004) 97

Development of an optimal X-ray beam for dual-mode emission and transmission mammotomography, R.L. McKinley, M.P. Tornai, E. Samei and M.L. Bradshaw 527 (2004) 102

Section 6. Peroperative Probes

Practical considerations in selecting and using intraoperative gamma probes, M. Kotzassarlidou, B. Hatzipavlidou, A. Makridou, P. Kostaki and N. Salem 527 (2004) 110

Relevance of a multi-hole collimator for peroperative gamma detection, D. De Freitas, S. Crespin, F. Cachin, B. Geissler, P. Brette and J. Maublant 527 (2004) 113

Section 7. Multimodality

The ANIMAGE project: a multimodal imaging platform for small animal research, D. Sappey-Marinier, O. Beuf, C. Billotey, E. Chereul, J. Dupuy, M. Jeandey, D. Grenier, J. Hasserodt, J.B. Langlois, C. Lartizien, W. Mai, C. Odet, J. Samarut, D. Vray, L. Zimmer and M. Janier 527 (2004) 117

Section 8. SPECT

Imaging of gamma emitters using scintillation cameras, M. Ricard 527 (2004) 124

"THE UNVEILED HEART" a teaching program in cardiovascular nuclear medicine, R. Itti, Y. Merabet, R. Roca, L. Bontemps and E. Itti 527 (2004) 130

Crystal and collimator optimization studies of a high-resolution γ-camera based on a position sensitive photomultiplier, N. Giokaris, G. Loudos, D. Maintas, A. Karabarbounis, V. Spanoudaki, E. Stiliaris, S. Boukis, A. Gektin, A. Boyarintsev, V. Pedash and V. Gayshan 527 (2004) 134

Molecular imaging by single-photon emission, F. Cusanno, R. Accorsi, M.N. Cinti, S. Colilli, A. Fortuna, F. Garibaldi, F. Giuliani, M. Gricia, R.C. Lanza, A. Loizzo, M. Lucentini, R. Pani, R. Pellegrini, F. Santavenere and F. Scopinaro. 527 (2004) 140

A modification of the dual energy window subtraction method for scatter compensation in pixelized scintillators for SPECT, G. Loudos, N. Sakelios, N. Giokaris, K. Nikita, N. Uzunoglu and D. Maintas 527 (2004) 145

Design and development of a position-sensitive γ-camera for SPECT imaging based on PCI electronics, V. Spanoudaki, N.D. Giokaris, A. Karabarbounis, G.K. Loudos, D. Maintas, C.N. Papanicolas, P. Paschalis and E. Stiliaris 527 (2004) 151

Section 9. Small Animal Imaging

Technology challenges in small animal PET imaging, R. Lecomte. 527 (2004) 157

RatCAP: a small, head-mounted PET tomograph for imaging the brain of an awake RAT, C. Woody, A. Kriplani, P. O'Connor, J.-F. Pratte, V. Radeka, S. Rescia, D. Schlyer, S. Shokouhi, S. Stoll, P. Vaska, A. Villaneuva, N. Volkow and B. Yu 527 (2004) 166

The ClearPET project, E. Auffray, P. Bruyndonckx, O. Devroede, A. Fedorov, U. Heinrichs, M. Korjik, M. Krieguer, C. Kuntner, C. Lartizien, P. Lecoq, S. Leonard, Ch. Morel, J.B. Mosset, Ch. Pedrini, A. Petrosian, U. Pietrzyk, M. Rey, S. Saladino, D. Sappey-Marinier, L. Simon, M. Streun, S. Tavernier, J.M. Vieira and K. Ziemons 527 (2004) 171

Two-head small animal PET prototype with LSO/LuAP coupled to a multi-anode PMT, R. Barbier, Y. Déclais, C. Dujardin, N. Garnier, M. Janier, I.A. Kamenskikh, G. Largeron, J. Marteau, C. Pedrini and D.S. Marinier 527 (2004) 175

Section 10. Simulation

Monte Carlo simulation in PET and SPECT instrumentation using GATE, K. Assié, V. Breton, I. Buvat, C. Comtat, S. Jan, M. Krieguer, D. Lazaro, C. Morel, M. Rey, G. Santin, L. Simon, S. Staelens, D. Strul, J.-M. Vieira and R. Van de Walle 527 (2004) 180

Simulation of time curves in small animal PET using GATE, L. Simon, D. Strul, G. Santin, M. Krieguer and C. Morel. 527 (2004) 190

Feasibility and value of fully 3D Monte Carlo reconstruction in single-photon emission computed tomography, D. Lazaro, V. Breton and I. Buvat 527 (2004) 195

A full Monte Carlo simulation of the YAP-PEM prototype for breast tumor detection, A. Motta, S. Righi, A. Del Guerra, N. Belcari, A. Vaiano, G. Di Domenico, G. Zavattini, R. Campanini, N. Lanconelli and A. Riccardi 527 (2004) 201

Assessment of a simulation software for scintillation detector, S. Crespin, D. De Freitas, P. Brette, A. Falvard and J. Maublant 527 (2004) 206

Tomographic image reconstruction using Artificial Neural Networks, P. Paschalis, N.D. Giokaris, A. Karabarbounis, G.K. Loudos, D. Maintas, C.N. Papanicolas, V. Spanoudaki, Ch. Tsoumpas and E. Stiliaris 527 (2004) 211

Radioguided occult lesion localization: better delineation of the injection site with a high-resolution collimator, B. Geissler, D. De Freitas, F. Cachin, D. Mestas, G. Lebouedec and J. Maublant 527 (2004) 216

Section 11. Conclusion

Potential clinical impact of radionuclide imaging technologies: highlights of the ITBS 2003 meeting, R. Itti . . . 527 (2004) 220

Accelerators, Beam Handling and Targets

Damping of betatron oscillations in undulator magnets with the aid of an axial magnetic field, G. Mishra, V. Gupta, N.P. Rajput, B. Kuske, D. Kraemer and R. Bakker 527 (2004) 233

Waveguide monitors—a new type of beam position monitors for the TTF FEL, U. Hahn, T. Kamps, R. Lorenz, W. Riesch, H.J. Schreiber and F. Tonisch 527 (2004) 240

High precision measurement of the polarization in solid state polarized targets using NMR, G.R. Court, M.A. Houlden, S. Bültmann, D.G. Crabb, D.B. Day, Y.A. Prok, S.I. Penttila and C.D. Keith 527 (2004) 253

Radiation shielding from secondary gas bremsstrahlung for the first optics enclosure at the Canadian Light Source, J. Asai and H. Hirayama 527 (2004) 264

Feasibility of projectile-fragment-beam separation in a storage ring, M. Takanaka 527 (2004) 273

Optimum target thickness for polarimeters, I.M. Sitnik 527 (2004) 278

FIRE—the Frankfurt Ion stoRage Experiments, C.P. Welsch, J. Ullrich, C. Gläßner, A. Schempp, R. Dörner and H. Schmidt-Böcking 527 (2004) 284

Oxygen gas-sheet beam profile monitor for the synchrotron and storage ring, Y. Hashimoto, T. Fujisawa, T. Morimoto, Y. Fujita, T. Honma, S. Muto, K. Noda, Y. Sato and S. Yamada 527 (2004) 289

High Energy Physics Detectors

Beam test of a dual radiator Cherenkov detector with aerogel and wavelength-shifting acrylic plastic, M. Carl, J. Reinhold, Y. Fujii, J. Haggblad, O. Hashimoto, M. Iijima, A. Matsumura, S.N. Nakamura, H. Nomura, Y. Okayasu, A. Ohtani, M. Oyamada, Y. Sato and L. Tang 527 (2004) 301

Studies on reducing leakage current and improving breakdown voltage of large-area silicon detectors: technology and results, V. Mishra, V.B. Chandratre, M.Y. Dixit, V.D. Shrivastava, A. Topkar, S.K. Kataria, Y.P.P. Rao and N.P. Shankarnarayana 527 (2004) 308

Study of ageing effects in aerogel, T. Bellunato, M. Calvi, C. Coluzza, G. Longo, C. Matteuzzi, M. Musy, P. Negri and D.L. Perego 527 (2004) 319

High Energy Physics Systems

Design, construction and tests of the ICARUS T600 detector, S. Amerio, S. Amoruso, M. Antonello, P. Aprili, M. Armenante, F. Arneodo, A. Badertscher, B. Baiboussinov, M.B. Ceolin, G. Battistoni, B. Bekman, P. Benetti, E. Bernardini, M. Bischofberger, A.B. di Tigliole, R. Brunetti, R. Bruzzese, A. Bueno, E. Calligarich, M. Campanelli, F. Carbonara, C. Carpanese, D. Cavalli, F. Cavanna, P. Cennini, S. Centro, A. Cesana, C. Chen, D. Chen, D.B. Chen, Y. Chen, R. Cid, D.B. Cline, K. Cieślik, A.G. Cocco, D. Corti, Z. Dai, C. De Vecchi, A. Dąbrowska, A. Di Cicco, R. Dolfini, A. Ereditato, M. Felcini, A. Ferella, A. Ferrari, F. Ferri, G. Fiorillo, S. Galli, D.G. Gamez, Y. Ge, D. Gibin, A.G. Berzolari, I. Gil-Botella, K. Graczyk, L. Grandi, A. Guglielmi, K. He, J. Holeczek, X. Huang, C. Juszczak, D. Kiełczewska, J. Kisiel, T. Kozłowski, H. Kuna-Ciskał, M. Laffranchi, J. Łagoda, Z. Li, B. Lisowski, F. Lu, J. Ma, G. Mangano, G. Mannocchi, M. Markiewicz, A.M. de la Ossa, C. Matthey, F. Mauri, D. Mazza, A.J. Melgarejo, A. Menegolli, G. Meng, M. Messina, J.W. Mietelski, C. Montanari, S. Muraro, S. Navas-Concha, M. Nicoletto, J. Nowak, G. Nurzia, C. Osuna, S. Otwinowski, Q. Ouyang, O. Palamara, D. Pascoli, L. Periale, G.P. Mortari, A. Piazzoli, P. Picchi, F. Pietropaolo, W. Półchłopek, M. Prata, T. Rancati, A. Rappoldi, G.L. Raselli, J. Rico, E. Rondio, M. Rossella, A. Rubbia, C. Rubbia, P. Sala, R. Santorelli, D. Scannicchio, E. Segreto, Y. Seo, F. Sergiampietri, J. Sobczyk, N. Spinelli, J. Stepaniak, R. Sulej, M. Szeptycka, M. Szarska, M. Terrani, G. Trinchero, R. Velotta, S. Ventura, C. Vignoli, H. Wang, X. Wang, J. Woo, G. Xu, Z. Xu, X. Yang, A. Zalewska, J. Zalipska, C. Zhang, Q. Zhang, S. Zhen and W. Zipper 527 (2004) 329

Space Radiation and Neutrino Detectors

Real-time data acquisition and control system for the 349-pixel TACTIC atmospheric Cherenkov imaging telescope, K.K. Yadav, R. Koul, A. Kanda, S.R. Kaul, A.K. Tickoo, R.C. Rannot, P. Chandra, N. Bhatt, N. Chouhan, K. Venugopal, M. Kothari, H.C. Goyal, V.K. Dhar and S.K. Kaul 527 (2004) 411

Effect of energy scale imperfections on results of neutrino mass measurements from β-decay, J. Kašpar, M. Ryšavý, A. Špalek and O. Dragoun 527 (2004) 423

Nuclear Spectroscopy

Development of a tagged neutron facility at intermediate energies, T. Peterson, S.E. Vigdor, C. Allgower, B. Bergenwall, L.C. Bland, J. Blomgren, J. Doskow, T. Hossbach, W.W. Jacobs, C. Johansson, T. Kinashi, J. Klug, A.V. Klyachko, P. Nadel-Turonski, L. Nilsson, N. Olsson, M. Planinic, S. Pomp, J. Rapaport, T. Rinckel, E.J. Stephenson, U. Tippawan, S.W. Wissink and Y. Zhou 527 (2004) 432

EMPIRE-II code-system with RIPL database as a tool for nuclear spectroscopy, M. Sin 527 (2004) 462

Gamma, X-ray and Charged Particle Detectors

Performance of glass RPC operated in avalanche mode, C. Gustavino, A. Candela, M. De Deo, M. D'Incecco, N. Redaelli, A. Tonazzo and G.C. Trinchero 527 (2004) 471

A CdTe real time X-ray imaging sensor and system, K. Spartiotis, J. Havulinna, A. Leppänen, T. Pantsar, K. Puhakka, J. Pyyhtiä and T. Schulman 527 (2004) 478

Primary study on the contact degradation mechanism of CdZnTe detectors, W. Sang, J. Wei, Z. Qi, L. Wanwan, M. Jiahua, T. Jianyong and Q. Yongbiao 527 (2004) 487

Resolution and spectral characteristics of ultra high pressure proportional counters using various quench gases, D.J. Grey, R.K. Sood and R.K. Manchanda 527 (2004) 493

Neutron Physics

Study of neutron response and n–γ discrimination by charge comparison method for small liquid scintillation detector, J. Černý, Z. Doležal, M.P. Ivanov, E.S. Kuzmin, J. Švejda and I. Wilhelm 527 (2004) 512

Phase-contrast radiography with a polychromatic neutron beam, N. Kardjilov, E. Lehmann, E. Steichele and P. Vontobel 527 (2004) 519

Comparison of the measured thermal neutron beam characteristics at the Lujan center with Monte Carlo transport calculations, G. Muhrer, E.J. Pitcher, G.J. Russell, T. Ino, M. Ooi and Y. Kiyanagi 527 (2004) 531

An improved pneumatic sample transport system for measurement of activation cross-sections with d-D neutrons in the energy range between 2.1 and 3.1 MeV, T. Shimizu, H. Sakane, S. Furuichi, M. Shibata, K. Kawade and H. Takeuchi 527 (2004) 543

A neutron sensor based on single crystal CVD diamond, G.J. Schmid, J.A. Koch, R.A. Lerche and M.J. Moran 527 (2004) 554

Development of neutron chambers with improved electrode design, M. Alex, D.N. Prasad, K.R. Prasad and S.K. Kataria 527 (2004) 562

Computer Automated Measurement and Control

A new control system for ISOLTRAP, D. Beck, K. Blaum, H. Brand, F. Herfurth and S. Schwarz. 527 (2004) 567

Numerical and Data Analysis

Evaluation of a wavelet-based compression algorithm applied to the silicon drift detectors data of the ALICE experiment at CERN, D. Falchieri, E. Gandolfi and M. Masotti 527 (2004) 580

Dead time losses and their measurement in DIRAC, A. Kulikov and M. Zhabitsky 527 (2004) 591

Lifetime extraction from delayed-coincidence experiments by a direct deconvolution method, J. Oms 527 (2004) 598

Fission, Fusion, Spallation and Heavy Ions

A compact soft X-ray PHA in the HT-7 tokamak, Z.Y. Chen, B.N. Wan, Y.J. Shi, L.Q. Hu, S.Y. Lin, Q.S. Hu and S.X. Lui 527 (2004) 604

Yield of radionuclides and isomers produced in the fragmentation of ^{nat}W and ^{186}W (97%) targets with protons at 630, 420 and 270 MeV, S.A. Karamian, J. Adam, P. Chaloun, D.V. Filossofov, V. Henzl, D. Henzlova, V.G. Kalinnikov, N.A. Korolev, N.A. Lebedev, A.F. Novgorodov, C.B. Collins, I.I. Popescu and C.A. Ur 527 (2004) 609

Synchrotron Radiation Research

Investigation of carbon contamination on SR-irradiated devices, T. Naito, M. Tadano, N. Terunuma, J. Urakawa, E. Nakamura, M. Hasumoto, H. Sakai, T. Shibuya, F. Sakai, H. Ohgaki and N. Sei. 527 (2004) 624

Special Applications

Determination of a source in a box with two detectors. The general case, O. Presler, U. German, H. Golan and Z.B. Alfassi. 527 (2004) 632

Technical Notes

A new complex installation *ATHLET* for the investigation of interactions in ultrarays on Tien- Shan mountain, A.P. Chubenko, R.A. Mukhamedshin, L.A. Amurina, V.P. Antonova, A.S. Baygubekov, R.U. Beisembaev, A.S. Borisov, P.A. Chubenko, K.V. Cherdyntseva, V.I. Drobzhev, V.F. Grishchenko, E.N. Gudkova, Z.M. Guseva, Y.A. Kanevskaya, O.N. Kryakunova, S.V. Kryukov, A.I. Kupchishin, I.S. Martyanov, V.M. Maximenko, K.K. Mukashev, R.A. Nain, N.M. Nesterova, O.A. Novolodskaya, V.V. Oskomov, V.P. Pavlyuchenko, V.V. Piscal, V.S. Puchkov, V.A. Ryabov, T.K. Sadykov, S.B. Shaulov, A.L. Shepetov, S.A. Slavatinsky, A.V. Stepanov, V.M. Sultangazin, Y.N. Vavilov, N.G. Vildanov, L.I. Vildanova, V.I. Yakovlev, N.N. Zastrozhnova, G.T. Zatsepin and V.V. Zhukov 527 (2004) 648

Soft end dipole magnet design for the MAX-IV storage rings, H. Tarawneh and E. Wallén 527 (2004) 652

Letter to the Editor

Measurement of ^{85}Kr and ^{133}Xe in air by absorption in Makrofol, D.S. Pressyanov, K.K. Mitev and V.H. Stefanov 527 (2004) 657

Errata

Erratum to: Aberration integrals for the low-voltage foil corrector [Nucl. Instr. and Meth. A 519 (2004) 205–215], R.H. van Aken, M. Lenc and J.E. Barth 527 (2004) 660